

DIGITAL DETECTOR

DX-D 10



An easy way to go Direct Digital

For both conventional and mobile digital X-ray systems, Agfa HealthCare's DX-D 10 Digital Detector offers general radiography facilities all the advantages of Direct Digital, while maximizing the use of their existing equipment. At 43 x 35 cm in size, the detector fits into any standard bucky tray and can be removed to ensure versatility for all exams.

The DX-D 10 is an integral part of an Agfa HealthCare Imaging or Integration package. These packages include an NX with MUSICA² processing, XRDI Interface and detector.

THE DX-D 10 DIGITAL DETECTOR OFFERS GENERAL RADIOGRAPHY FACILITIES A FAST AND EFFECTIVE WAY TO BENEFIT FROM HIGH QUALITY DIGITAL IMAGING USING EXISTING X-RAY EQUIPMENT.

- Provides an easy way to go Direct Digital
- Maximizes existing equipment investment
- Offers convenience and portability
- Improves workflow and exam speed
- Superior connectivity to PACS, HIS/RIS and imagers
- Choice of Cesium Iodide (CsI) or Gadolinium Oxy-Sulphide (GOS) detector conversion screens
- Small pixel size gives more image information, for improved diagnostic effectiveness
- MUSICA² processing for superior contrast detail and exam-independent, consistent image quality

Faster and more efficient workflow

As part of a cassette-less and filmless solution, the DX-D 10 provides a host of benefits that improve workflow and speed up exam time. Retakes can be made immediately without changing cassette, and there is no risk of patients' cassettes being mixed up. What's more, the number of images is no longer limited by the number of cassettes available. And to complete the workflow images can be sent immediately to PACS or imager in DICOM format.

Improved diagnostic effectiveness

The DX-D 10 offers the smallest pixel size available: 139 μm . So each image has more image information - 7.8 megapixels. And more image information means more accurate diagnosis.

MUSICA²: tuned for the best results

The DX-D 10 is compatible with our 'gold standard' MUSICA² image processing, which has been specially adapted and tuned to further enhance the excellent DR image quality. Exam-independent, it ensures consistent image quality and high contrast detail.

technical

SPECIFICATIONS

Receptor type: Amorphous Silicon with Charge Well Pixel™ Technology

Conversion screen: CsI and GOS

Pixel Area:

- Total: 42.7 (h) x 35.6 (v) cm (16.8 x 14.0 inch)
- Active: 42.4 (h) x 35.3 (v) cm (16.7 x 13.9 inch)

Pixel Matrix:

- Total 3,072 (h) x 2,560 (v)
- Active: 3,052 (h) x 2,540 (v)
- Pixel Pitch: 139 µm
- Limiting Resolution: 3.6 lp/mm
- Energy Range Standard: 40-150 kVp
- Fill Factor: 100 %
- Scan Method: Progressive
- A/D conversion: 14 bits
- Image preview: 1 second
- Cycle time (minimum/standard): 8/10 sec
- Data output: gigabit Ethernet

Exposure control:

- Inputs: Prepare, Expose-Request
- Outputs: Expose-OK

Software:

The software release includes ViVa™, an application for image acquisition and viewing on an end-user workstation or laptop running Microsoft® Windows™. The developer's software package includes a 'Virtual Command Processor' software interface that performs detector calibration, detector setup, image acquisition and image corrections. ViVa™ includes file type

translators for .viv, .raw, .jpg, and .bmp file formats. Windows® XP compatible.

Environmental:

- Shock: high shock tolerance
- Water: water resistant

Temperature range:

- Operating (at back cover): 10° C to 35° C (max.)
- Ambient – Storage: -20° C to +70° C

Humidity:

- Operating (non-condensing): 10 to 90 %
- Storage (non-condensing): 10 to 90 %

Regulatory:

- CE label
- US: UL 60601-1
- Canada: CSA 22.2 No. 601.1-M90

Mechanical:

- Cable length: 8 m
- Size: 46 x 38.4 x 1.5 cm (18.1 x 15.1 x 0.6 inch)
- Weight: 3.9 kg (8.6 lbs)

Power:

- Power Dissipation: 35 watts (max)
- I/O Interface Box: 100-240 VAC, 47-63 Hz (up to 9 m away from panel)

Why Agfa HealthCare?

Agfa HealthCare is a global leader in the fast growing market of integrated IT and imaging systems, offering healthcare facilities a seamless flow of information and a 360° view of patient care. The company has a unique, holistic approach, enabling it to provide in-depth clinical know-how and fully integrated hospital-wide solutions. These specialized solutions integrate IT and imaging systems for Radiology, Cardiology, Mammography and Orthopaedics. Agfa HealthCare's enterprise-wide IT platform integrates all administrative and clinical data within a healthcare facility and is designed to match the unique needs of specific healthcare professionals.

www.agfahealthcare.com

Agfa and the Agfa rhombus are trademarks of Agfa-Gevaert N.V., Belgium, or its affiliates. MUSICA is a trademark of Agfa HealthCare NV, Belgium or its affiliates. All other trademarks are held by their respective owners and are used in an editorial fashion with no intention of infringement. The data in this publication are for illustration purposes only and do not necessarily represent standards or specifications, which must be met by Agfa HealthCare. All information contained herein is intended for guidance purposes only, and characteristics of the products and services described in this publication can be changed at any time without notice. Products and services may not be available for your local area. Please contact your local sales representative at agfa.com for availability information. Agfa HealthCare diligently strives to provide as accurate information as possible, but shall not be responsible for any typographical error.

© 2011 Agfa HealthCare NV

All rights reserved

Printed in Belgium

Published by Agfa HealthCare NV

B-2640 Mortsel - Belgium

5QEPB GB 00201110